

CITY OF OLIVER SPRINGS CODES ENFORCEMENT COMMERCIAL/INDUSTRIAL BUILDING PERMIT APPLICATION

Address of property:		, , , , , , , , , , , , , , , , , , , ,					··-	
F		100	(4) N. 3 & 100			٠٠.		
City, State, Zip:	- - "	· .·	17 17 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•		*		

Property Identification	on	-				Zoning:		
Мар:	`	`Ctrl Map:		Group:		Zone:		
Parcel:	<u> </u>	. All of	<u> </u>	Part of	<u> </u>	Flood Plain: Yes No-		
2. OTHER PERMITS		ED					1	
Sewer/Septic Permit:				Driveway:	Yes No			
3. TYPE OF BUILDI	·		· , ,				<u> </u>	
Project Description	Purpose of		,				·	
New Structure	Commercial		Industrial			Religous	1	
Addition —	Amusemer	•	Describe:	7	e e e e e e	Church		
Repair		nstitutional				Fellowship Hall		
Replacement	Educations					Other:		
Relocation	Stores/Mei							
Remodel 🚜 💷	4	k/Professional	· ·					
	Other:	······································			,			
Ownership: Private 1			<u> </u>					
4. CHARACTERIST	<u>ics</u>					· · · · · · · · · · · · · · · · · · ·		
	Type of Sewage Disposal			Roof Type:				
Crawl -	Public or Private Sewer			Siding Type:				
Basement		Individual (septic tank, etc.)		No. Floors:				
Slab	Type of Water Supply			Total Sq. Ft.;				
Other:	Public or Private		-	No. Units:				
Type of Frame		Individual (well, etc.)						
Masonry		Type of Heat						
Wood		Central Heat/Air		Porch/Deck: Size:				
Steel		Other:		Other:				
Other:								
5. COST (Complete co		to be done.)						
Total Cost of Improven		· · · · · · · · · · · · · · · · · · ·				·		
6. APPLICANT INFO	RMATIO	N	·-··	•		. 101000		
	-	ESENTATIVE of the p ges with this application		ner or contract	tor. I will no	otify the Roane County Co	odes	
Contractors Number:	<u>.</u>		-					
Exp. Date:	• /		Con	npany Name:	•:•	•		
Print Name:	Signature:							
Address:	9		.; . `\ 2 \	· ·	Phone:		 	
City, State, Zip:					Cell:			

Please draw a map of the property for which you are obtaining a building permit.

. Please include the following:

- · Approximate location of property lines
- · Locations of all structures (existing and planned)
- · Show footage from property lines for new permitted structure

Date

- · Location of existing septic tank and field line
- Location of water and electric lines
- Location of driveway
- Size of property (square foot or acres)

	·			·			_	
		•			•		-	•
	•							
		•	-	·.				
	•							
1	•			•				
	`			•				
		•	•	٠				
	•	•					•	
				•				
•			•		•			
	•							
	"							س.
								-
	••	•	•					
			•		•		•	
•			•	•		•		
•				•				
	·			•				
	~ ,	•				•		
	•							

Signature

OLIVER SPRINGS CODES ENFORCEMENT INSPECTION DETAILS FOR RESIDENTIAL PROJECTS

FOOTER/SLABS (ALL) PRIOR TO POURING CONCRETE

- Excavation (bottom of footer 12" below finished slope of 1" in 10")
- Rebar as per drawing or to code along with footer grounding
- Interior footing for load bearing wall
- Bulk heads properly installed
- Setbacks
- Vapor barrier, wire mesh, or rebar and gravel base
- Insulation for slabs in conditioned spaces (IECC)
- Post 911 address visible from road

FOUNDATION WALLS

DO NOT PROCEED WITH FRAMING UNTIL FOUNDATION WALLS ARE APPROVED

BLOCK WALLS

- Proper block size per code
- Rebar to code (if required)
- Cores filled per code (if required)
- Sill anchors installed properly
- Foundations vents and access to code

POURED WALLS

- Proper form size
- Rebar installed per drawings/code
- Sill anchors installed properly
- Foundation vents and access to code

FRAMING

ALL ROUGH PLUMBING AND ELECTRICAL COMPLETE DO NOT COVER ANY WORK WITHOUT APPROVED FRAMING

- Sill plates
- Proper girder size and span
- Sheeting code (floors, walls, and roof)
- Wall framing complete with headers to code, braced wall panels and house wrap
- Stairs to code (treads, risers, width, landing ad head clearance
- Top plates laced to code
- Roof framing (rafter size, spacing, span and collar ties) and lateral bracing as per truss diagrams
- Lateral bracing for trusses and diagrams "on site"

- Fire blocking and recessed lights (IECC)
- Window and doors installed to code (IECC)

IECC INSPECTION

- Insulation R-Value and installation for ceilings, framed walls, floor, basement walls and crawl space
- Building thermal envelope
- Sealing of penetrations
- Attic insulation depth indicators
- Duet insulation and sealing
- HVAC equipment sizing

FINAL

- Structure is complete, safe and livable
- Finish grade slope 6" in 10' away from home
- Porches and decks to code
- Life safety codes and 911 address posted permanently
- Attic insulation (IECC)
- HVAC controls (IECC)
- IECC certificate poste in electrical box (IECC)
- Proof of final electrical inspection
- All utilities on and working
- Certificate of Occupancy issued when final inspection is passed
- ABSOLUTELY NO OCCUPANCY WITHOUT APPROVAL IN WRITING FROM OLIVER SPRINGS CODES ENFORCEMENT

OWNER/CONTRA	ACTOR		Fax 1 - 1 - 1	
SIGNATURE	Tangawa -	 [DATE	

OLIVER SPRINGS CODES ENFORCEMENT INSPECTION DETAILS FOR RESIDENTIAL PROJECTS

FOOTER/SLABS (ALL) PRIOR TO POURING CONCRETE

- Excavation (bottom of footer 12" below finished slope of 1" in 10")
- Rebar as per drawing or to code along with footer grounding
- Interior footing for load bearing wall
- Bulk heads properly installed
- Setbacks
- Vapor barrier, wire mesh, or rebar and gravel base
- Insulation for slabs in conditioned spaces (IECC)
- Post 911 address visible from road

FOUNDATION WALLS DO NOT PROCEED WITH FRAMING UNTIL FOUNDATION WALLS ARE APPROVED

BLOCK WALLS

- Proper block size per code
- Rebar to code (if required)
- Cores filled per code (if required)
- Sill anchors installed properly
- Foundations vents and access to code

POURED WALLS

- Proper form size
- Rebar installed per drawings/code
- Sill anchors installed properly
- Foundation vents and access to code

FRAMING

ALL ROUGH PLUMBING AND ELECTRICAL COMPLETE DO:NOT COVER ANY WORK WITHOUT APPROVED FRAMING

- Sill plates
- Proper girder size and spañ
- Sheeting code (floors, walls, and roof)
- Wall framing complete with headers to code, braced wall panels and house wrap
- Stairs to code (treads, risers, width, landing ad head clearance
- Top plates laced to code
- Roof framing (rafter size, spacing, span and collar ties) and lateral bracing as per truss diagrams
- Lateral bracing for trusses and diagrams "on site"

OLIVER SPRINGS CODES ENFORCEMENT 308 N. Third St. Kingston, TN 37763 865-717-4230

Re-Inspection Fees Resolution

Resolution gives Oliver Springs Codes Enforcement Office the authority to charge re-inspection fees for additional and failed inspections.

Re-inspection fees will be charged as follows:

First re-inspection	\$ 0.00
Second re-inspection	\$25.00
Third re-inspection	\$50.00
Each additional re-inspection	\$50.00

Signature	Date	
<u> </u>		The Control of the Co

Flood Plain Affidavit

	Building	Permit #	
	D_{lpha}	ite	(1985년) 1987년 (1985년) - 1987년 (1985년) - 1987년 (1985년) (1985년) (1985년) (1985년) (1985년) (1985년) (1985년) (1985년)
I have been made aware	and understand a p	ortion of the prope	erty located at
identified as Map	GroupI	Parcél	is located in a special
flood area; and I have b	een informed that a	structure cannot	be placed in this special
flood area.		· · <u>·</u>	
I also confirm that the st	ructure for which a	ım obtaining a bu	ilding permit will not
be placed in this special	flood area.		
Print Name			*. 2013年 大学(2013年 2013年
Signature of property ov	wner or contractor	-th-9	